Reply to Office action of January 28, 2009

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of the Claims

1. (currently amended) A system for modifying video signals, the system comprising:

at least one decoder that decodes a video signal that comprises embedded picture setting data; and

a video processor that is adapted to:

detect whether the system is operating in an on-screen display ("OSD") mode;

apply the <u>same</u> embedded picture setting data to the <u>entire</u> display screen if the system is not in the OSD mode; and withhold the embedded picture setting data from the <u>entire</u> display screen if the system is in the OSD mode.

- 2. (previously presented) The system set forth in claim 1, wherein the embedded picture setting data comprises screen format data.
- 3. (previously presented) The system set forth in claim 1, wherein the embedded picture setting data comprises colorimetry data.
- 4. (previously presented) The system set forth in claim 3, comprising a color conversion device that performs a color conversion based on the colorimetry data.
- 5. (previously presented) The system set forth in claim 1, comprising a display device configured to display an image based on the video signal.
- 6. (previously presented) The system set forth in claim 1, wherein the video processor is adapted to set a flag if the system is operating in the OSD mode.

Ser. No. 10/563,892 PU030213

Amdt. dated August XX, 2009

Reply to Office action of January 28, 2009

7. (previously presented) The system set forth in claim 1, wherein the system comprises a portion of a television set.

8. (currently amended) A method of modifying video signals, the method comprising the acts of:

decoding a video signal that comprises embedded picture setting data; detecting whether a system is operating in an on-screen display ("OSD") mode;

applying the <u>same</u> embedded picture setting data to the <u>entire</u> display screen if the system is not in the OSD mode; and withholding the embedded picture setting data from the <u>entire</u> display screen if the system is in the OSD mode.

- 9. (original) The method set forth in claim 8, comprising the act of determining whether the embedded picture setting data comprises screen format data.
- 10. (original) The method set forth in claim 8, comprising the act of determining whether the embedded picture setting data comprises colorimetry data.
- 11. (original) The method set forth in claim 10, comprising the act of performing a color conversion based on the colorimetry data.
- 12. (original) The method set forth in claim 8, comprising the act of displaying an image based on the video signal.
- 13. (previously presented) The method set forth in claim 8, comprising the act of setting a flag if the system is operating in the OSD mode.
- 14. (currently amended) A system for modifying video signals, the system comprising:

Ser. No. 10/563,892 PU030213

Amdt. dated August XX, 2009

Alliut. dated August AA, 2009

Reply to Office action of January 28, 2009

means for decoding a video signal that comprises embedded picture setting data;

- means for detecting whether the system is operating in an on-screen display ("OSD") mode;
- means for applying the <u>same</u> embedded picture setting data to the <u>entire</u>
 display screen if the system is not in the OSD mode; and
- means for withholding the embedded picture setting data from the <u>entire</u> display screen if the system is in the OSD mode.
- 15. (previously presented) The system set forth in claim 14, wherein the embedded picture setting data comprises screen format data.
- 16. (previously presented) The system set forth in claim 14, wherein the embedded picture setting data comprises colorimetry data.
- 17. (previously presented) The system set forth in claim 16, comprising means for performing a color conversion based on the colorimetry data.
- 18. (previously presented) The system set forth in claim 14, comprising a display device configured to display an image based on the video signal.
- 19. (previously presented) The system set forth in claim 14, wherein the means for detecting is adapted to set a flag if the system is operating in the OSD mode.
- 20. (previously presented) The system set forth in claim 14, wherein the system comprises a portion of a television set.